CLAIMS

5

15

20

- 1. A device for transferring capability information, comprising means for storing the capability information of the device, means for preparing a message for transmission comprising processing according to a specific protocol stack, means for transmitting the message comprising a header part and a payload part, wherein the device further comprises means for packing the capability information into the payload part of the message before the message is transferred to the protocol stack.
- A device according to claim 1, wherein said data transmission protocol is WAP (Wireless Application Protocol).
 - A device according to claim 1, wherein said message is arranged for being transmitted to a multimedia messaging service center (MMSC).
 - 4. A device according to claim 1, wherein said capability information comprises at least some of the following information: information on the hardware of a terminal, information on the software of a terminal, information on the WAP capabilities of a terminal, information on the capabilities of the browser of a terminal, information on the capabilities of a network and information on user preferences.
 - 5. A device according to claim 1, wherein said device is a wireless terminal.
- 25 6. A device according to claim 1, wherein said device further comprises a user interface for changing the capability information.
 - A method for transferring capability information, which method comprises storing the capability information of a device, wherein the method comprises
 - packing said capability information into the payload part of a message before the message is transferred to a protocol stack, the message comprising a header part and a payload part,
 - processing the message comprising the capability information according to a specific protocol stack, and transmitting said message.
 - A method according to claim 7, wherein said data transmission protocol is WAP (Wireless Application Protocol).

30

35

5

10

15

20

- A method according to claim 7, wherein said message is transmitted to a multimedia messaging service center (MMSC).
- 10. A method according to claim 7, wherein said capability information comprises at least some of the following information: information on the hardware of a terminal, information on the software of a terminal, information on the WAP capabilities of a terminal, information on the capabilities of the browser of a terminal, information on the capabilities of a network, and information on user preferences.
 - 11.A method according to claim 7, wherein the method comprises transmitting said message over a radio interface to a gateway.
- 12. A system for transferring capability information, comprising a terminal (MS) and a multimedia messaging service center (MMSC) for implementing a multimedia messaging service between the terminal and the multimedia messaging service center, wherein the terminal comprises means for packing the capability information of the terminal into the payload part of a message that goes from the terminal to the multimedia messaging service center before the message is transferred to the protocol stack used, the message comprising a payload part and a header part.